Anchorage Islet #5 Bird Checklist

Chesterfield Group, New Caledonia

19 55 12s 158 28 58e

Compiled by Michael K. Tarburton, Pacific Adventist University, PNG.

swiftlet@optusnet.com.au

[You are welcome to communicate, just re-type above address into your e-mail program]

#	Common Name	Scientific Name	Ecol. Status	Abundance	References
1.	Masked Booby	Sula dactylatra personata	Res	2 birds present Dec 1990,	1,
2.	Red-footed Booby	Sula sula rubripes	Res bre	4 birds present Dec 1990,	1,
3.	Brown Booby	Sula leucogaster plotus	Res	9 birds present Dec 1990,	1,
4.	Black-naped Tern	Sterna sumatrana	Res	16 birds present Dec 1990,	1,
5.	Fairy Tern	Sternula nereis exsul	Res bre	12 birds obs Oct 1977,	2,
6.	Brown Noddy	Anous stolidus pileatus	Res	100 birds present Dec 1990,	1,

KEY

Ecological status

End = Endemic to Island unless otherwise stated, **Res bre** = Resident breeder, **Res** = resident ie breeding not proven or not likely. For seabirds it means they have or should be found in that area: note other refs. **Vag** = Vagrant, **Res/mig** = Part of population migratory, **Sum mig** = Summer migrant, **Win mig** = Winter migrant, **Spr/Aut mig** = Passage migrant in Spring and Autumn, **Intro** = Introduced.

Abundance

R = rare, S = scarce, UC = uncommon, MC = moderately common, LC = locally common, C = common, VC = very common, A = abundant P = present.

Colour coding applies only to one species on a particular list. eg. An abundance comment in red for the Brown Booby refers to the Ref # in Red for that species only.

Alternate Island Names & alternate common Bird Names are recorded in two separate spreadsheet files.

REFERENCES

- 1. Bourne, W.R.P., Davis, A.C.F. & McAllan, I.A.W. 2005. The birds of the southern Coral Sea including observations by HMS Herald in 1858-60. Atoll Research Bull 541, 237-263.
- 2. Condamin, M. 1977. Mission aux Chesterfields du 29 Septembre au 7 Octobre 1977. Nature Calédonienne 16, 21-25. In Barré et all 2012.