# **Uatio Islet Bird Checklist**

## (Sthn Lagoon) Off New Caledonia

22 42 38s 166 47 42e

Compiled by Michael K. Tarburton, Pacific Adventist University, PNG.

### swiftlet@optusnet.com.au

[You are welcome to communicate, just re-type above address into your e-mail program]

#	Common Name	Scientific Name	Ecol. Status	Abundance	References
1. 2. 3.	Black-winged Petrel Wedge-tailed Shearwater Fairy Tern	Pterodroma nigripennis Ardenna pacificus Sternula neris exsul	Res bre Res bre Res bre	2-10 pr breed here, 1993-99, 5,500-12,000 br prs 1993-99, 2 pr Aug-Sep 2008,	2, 2, 1,

#### **KEY**

#### **Ecological status**

End = Endemic to Island unless otherwise stated, **Res bre** = Resident breeder, **Res** = resident ie breeding not proven or not likely. For seabirds it means they have or should be found in that area: note other refs. **Vag** = Vagrant, **Res/mig** = Part of population migratory, **Sum mig** = Summer migrant, **Win mig** = Winter migrant, **Spr/Aut mig** = Passage migrant in Spring and Autumn, **Intro** = Introduced.

#### **Abundance**

R = rare, S = scarce, UC = uncommon, MC = moderately common, LC = locally common, C = common, VC = very common, A = abundant, P = present.

Colour coding applies only to one species on a particular list. eg. An abundance comment in red for the Brown Booby refers to the Ref # in Red for that species only.

Alternate Island Names & alternate common Bird Names are recorded in two separate spreadsheet files.

#### **REFERENCES**

- 1. Barré, N., Baling, M., Baillon, N., Le Bouteiller, A., Bachy, P., Chartendrault, V. & Spaggiari, J. 2012. Survey of Fairy Terns *Sterna nereis exsul* in New Caledonia. *Marine Ornithology* 40, 31-38.
- 2. Benoit, M.P., & Bretagnolle, V. 2002. Seabirds of the Southern Lagoon of New Caledonia; Distribution, Abundance and Threats. Waterbirds 25(2), 202-213.