Nanuka Systematic Bird Checklist

Off coast NB, PNG

Compiled by M.K. Tarburton, Pacific Adventist University, PNG.

swiftlet@optusnet.com.au

#	Common Name	Scientific Name	Ecol. Status	Abundance	References
1.	Scarlet-bibbed Myzomela	Myzomela sclateri	Res bre	In forests, Reported.	1,2,

KEY

Ecological status

End = Endemic to Island unless otherwise stated, **Res bre** = Resident breeder, **Res** = resident ie breeding not proven or not likely. For seabirds it means they have or should be found in that area: note other refs. **Vag** = Vagrant, **Res/mig** = Part of population migratory, **Sum mig** = Summer migrant, **Win mig** = Winter migrant, **Spr/Aut mig** = Passage migrant in Spring and Autumn, **Intro** = Introduced.

Abundance

R = rare, S = scarce, UC = uncommon, MC = moderately common, LC = locally common, C = common, VC = very common, A = abundant.

Colour coding applies only to one species on a particular list. eg. An abundance comment in red for the Brown Booby refers to the Ref # in Red for that species only.

Alternate Island Names & alternate common Bird Names are recorded in two separate spreadsheet files.

REFERENCES

- 1. Rand, A.L., & E.T Gilliard. 1967. Handbook of New Guinea Birds. Weidenfeld & Nicolson, London.
- 2. Mayr, E. 1955. Notes on the birds of Northern Melanesia. 3. Passeres. Amer. Mus. Novitates 1707: 1-46.