Ondolau Island Bird Checklist South of Vaghena Island, Solomon Islands

7 31 16.49s 157 43 41.80e

Compiled by Michael K. Tarburton, Pacific Adventist University, PNG.

swiftlet@optusnet.com.au

[To communicate: please re-type e-mail address]

#	Common Name	Scientific Name	Ecol. Status	Abundance	References
1.	Lesser Frigatebird	Fregata ariel	Res	1 seen 21.12.05,	1,
2.	Melanesian Scrubfowl	Megapodius eremita	Res bre	1 heard 21.12.2005,	1,
3.	Crested Tern	Thalasseus bergii cristatus	Res bre	1 seen 1km offshore,	1,
4.	Little Tern	Sternula albifrons	Res	1 feeding 21.12.05,	1,
5.	Island Imperial Pigeon	Ducula pistrinaria	Res	6 seen 21.12.2005,	1,
6.	Cardinal Lory	Chalcopsitta cardinalis	Res bre	3 seen 18.12.05, 2 flew towards Isabel then returned,	1,
7.	Collared Kingfisher	Todirhamphus chloris	Res bre	1 heard 21.12.05,	1,
8.	Yellow-bellied Sunbird	Nectarinia jugularis	Res bre	5 seen + 1 heard & fledgling begging. 21.12.2005,	1,

<u>KEY</u>

Ecological status

End = Endemic to Island unless otherwise stated, **Res bre** = Resident breeder, **Res** = resident ie breeding not proven or not likely. For seabirds it means they have or should be found in that area: note other refs. **Vag** = Vagrant, **Res/mig** = Part of population migratory, **Sum mig** = Summer migrant, **Win mig** = Winter migrant, **Spr/Aut mig** = Passage migrant in Spring and Autumn, **Intro** = Introduced.

Abundance

 $\mathbf{R} = \text{rare}, \mathbf{S} = \text{scarce}, \mathbf{UC} = \text{uncommon}, \mathbf{MC} = \text{moderately common}, \mathbf{LC} = \text{locally common}, \mathbf{C} = \text{common}, \mathbf{VC} = \text{very common}, \mathbf{A} = \text{abundant } \mathbf{P} = \text{present}.$

Colour coding applies only to one species on a particular list. eg. An abundance comment in red for the Brown Booby refers to the Ref # in Red for that species only. **Alternate Island Names & alternate common Bird Names are recorded in two separate spreadsheet files.**

REFERENCES

1. Tarburton, M.K. 2005. Personal Field Notes.