

Japen (Yapen, Jobi) Is. Bird Checklist

Geelvink Group, Indonesia.

Compiled by Michael K. Tarburton, Pacific Adventist University, PNG.

swiftlet@virginbroadband.com.au

#	Common Name	Scientific Name	Ecol. Status	Abundance	References
1.	Dwarf Cassowary	<i>Casuarus bennetti goodfellowi</i>	Res bre	VUC inhabits forest & regrowth. UC in Mtns,	3,9,11,12,
2.	Northern Cassowary	<i>Casuarus unappendiculatus occipitalis</i>	Res bre	?	3,11,12,
3.	Tahiti Petrel	<i>Pseudobulweria rostrata</i>	Res	?	1,
4.	Kermadec Petrel	<i>Pterodroma neglecta</i>	Win mig	?	1,
5.	Gould's Petrel	<i>Pterodroma leucoptera</i>	Win mig	?	1,
6.	Wilson's Storm-petrel	<i>Fregatta oceanica</i>	Vag	?	1,
7.	Black-bellied Storm-petrel	<i>Fregatta tropica</i>	Vag	?	1,
8.	White-bellied Storm-petrel	<i>Fregatta grallaria</i>	Vag	?	1,
9.	Streaked Shearwater	<i>Puffinus leucomelas</i>	Sum mig	?	1,
10.	Wedge-tailed Shearwater	<i>Puffinus pacificus</i>	Res	?	1,
11.	Flesh-footed Shearwater	<i>Puffinus carneipes</i>	Spr/Aut mig	?	1,
12.	Sooty Shearwater	<i>Puffinus griseus</i>	Spr/Aut mig	?	1,
13.	Short-tailed Shearwater	<i>Puffinus tenuirostris</i>	Spr/Aut mig	?	1,
14.	Audubon's Shearwater	<i>Puffinus lherminieri</i>	Spr/Aut mig	?	1,
15.	Christmas Shearwater	<i>Puffinus nativitatis</i>	Res	?	1,
16.	Red-tailed Tropicbird	<i>Phaethon rubricauda</i>	Res	?	1,
17.	White-tailed Tropicbird	<i>Phaethon lepturus</i>	Res	?	1,
18.	Great Frigatebird	<i>Fregata minor</i>	Vag	?	1,
19.	Lesser Frigatebird	<i>Fregata ariel</i>	Res	?	1,
20.	Masked Booby	<i>Sula dactylatra</i>	Res	?	1,
21.	Brown Booby	<i>Sula leucogaster</i>	Res	?	1,
22.	Red-footed Booby	<i>Sula sula</i>	Res	?	1,
23.	Streaked Shearwater	<i>Puffinus leucomelas</i>	Sum mig	?	1,
24.	Brown Booby	<i>Sula leucogaster</i>	Res	?	1,
25.	Lesser Frigatebird	<i>Fregata ariel</i>	Res	?	1,
26.	Great Frigatebird	<i>Fregata minor</i>	Res	?	1,
27.	Eastern Reef Egret	<i>Egretta sacra</i>	Res	1 spec AMNH.	1,4,
28.	Great-billed Heron	<i>Ardea sumatrana</i>	Res bre	Uncommon	3,4,
29.	Rufous Night Heron	<i>Nycticorax caledonicus caledonicus</i>	Res bre	1 spec. AMNH.	5,
30.	Osprey	<i>Pandion haliaetus</i>	Res bre	?	1,
31.	White-breasted Sea-eagle	<i>Haliaeetus leucogaster</i>	Res bre	?	1,
32.	Gurney's Eagle	<i>Aquila gurneyi</i>	Res	?	3,11,
33.	Long-tailed Buzzard	<i>Henicopernis longicauda (3 ssp)</i>	Res	?	3,11,
34.	Brahminy Kite	<i>Haliastur indus</i>	Res bre	Fairly Common	3,
35.	Variable Goshawk	<i>Accipiter hiogaster</i>	Res	?	3,11,
36.	Grey-headed Goshawk	<i>Accipiter poliocephalus</i>	Res bre	MC,	3,11,

37.	Collared Sparrowhawk	<i>Accipiter cirrhocephalus papuanus</i>	Res bre	MC,	3,11,
38.	Meyer's Goshawk	<i>Accipiter meyerianus</i>	Res bre	Coll. R. 1 st specimen coll. c 1870,	3,11,12,14,
39.	Pacific Baza	<i>Aviceda subcristata (2 ssp)</i>	Res bre	?	11,
40.	Oriental Hobby	<i>Falco severus papuanus</i>	Sum mig	UC,	3,11,
41.	Peregrine Falcon	<i>Falco peregrinus</i>	Res	?	3,
42.	White-headed Shelduck	<i>Tadorna radjah</i>	Res bre	Uncommon	3,
43.	Brown-collared Brush-turkey	<i>Talegalla jobiensis</i>	Res bre	?	3,15,
44.	Wattled Brush-turkey	<i>Talegalla arfakianus</i>	Res bre	1 bird 2 mounds at 1250m.	3,15,
45.	Red-necked Rail	<i>Rallina tricolour tricolour</i>	Res bre	Shy	3,11,
46.	Beach Thick-knee	<i>Esacus neglectus</i>	Res bre	?	1,
47.	Grey Plover	<i>Pluvialis squatarola</i>	Sum Mig	?	1,
48.	Pacific Golden Plover	<i>Pluvialis fulva</i>	Sum Mig	?	1,
49.	Little Ringed Plover	<i>Charadrius dubius</i>	Sum mig	1 rec. Needs Confirmation	3,12,
50.	Ruddy Turnstone	<i>Arenaria interpres</i>	Sum Mig	?	1,
51.	Eastern Curlew	<i>Numenius madagascariensis</i>	Sum mig	?	1,
52.	Whimbrel	<i>Numenius phaeopus</i>	Sum Mig	?	1,
53.	Common Sandpiper	<i>Tringa hypoleucos</i>	Sum mig	?	1,
54.	Grey-tailed Tattler	<i>Tringa brevipes</i>	Sum Mig	?	1,
55.	Wandering Tattler	<i>Tringa incana</i>	Sum Mig	?	1,
56.	Common Sandpiper	<i>Tringa hypoleucos</i>	Sum Mig	?	1,
57.	Common Greenshank	<i>Tringa nebularia</i>	Sum mig	?	1,
58.	Terek Sandpiper	<i>Tringa terek</i>	Sum Mig	?	1,
59.	Swinhoe's Snipe (Chinese)	<i>Gallinago megala</i>	Sum Mig	?	1,
60.	Bar-tailed Godwit	<i>Limosa lapponica</i>	Sum Mig	?	1,
61.	Black-tailed Godwit	<i>Limosa melanuroides</i>	Sum Mig	?	1,
62.	Sharp-tailed Sandpiper	<i>Calidris acuminata</i>	Sum Mig	?	1,
63.	Red-necked Stint	<i>Calidris ruficollis</i>	Sum Mig	?	1,
64.	Curlew Sandpiper	<i>Calidris ferruginea</i>	Sum Mig	?	1,
65.	Common Tern	<i>Sterna hirundo</i>	Sum mig	Abundant	3,
66.	Black-naped Tern	<i>Sterna sumatrana</i>	Res	?	3,
67.	Bridled Tern	<i>Sterna anaethetus</i>	Res	?	3,
68.	Sooty Tern	<i>Sterna fuscata</i>	Res	?	3,
69.	Little Tern	<i>Sterna albifrons</i>	Sum mig	?	3,
70.	Crested Tern	<i>Sterna bergii</i>	Res	Common	3,
71.	Gull-billed Tern	<i>Sterna nilotica</i>	Win mig	Common	3,
72.	White-winged Black Tern	<i>Chlidonias leucopterus</i>	Sum mig	?	3,
73.	Brown Noddy	<i>Anous stolidus</i>	Res bre	Common	3,
74.	Black Noddy	<i>Anous minutus</i>	Res	?	3,
76.	Black-billed Cuckoo-Dove	<i>Macropygia n. nigrirostris</i>	Res bre	UC	3,11,
77.	Great Cuckoo-Dove	<i>Reinwardtoena reinwardtii griseotincta</i>	Res bre	MC	3,11,
78.	New Guinea Bronzewing	<i>Henicophaps albifrons albifrons</i>	Res bre	C in rainforest,	3,11,
79.	Nicobar Pigeon	<i>Caloenas n. nicobarica</i>	Res bre	MC,	3,11,
80.	Cinnamon Ground Dove	<i>Gallicolumba rufigula</i>	Res bre	?	3,
81.	Stephan's Dove	<i>Chalcophaps stephani stephani</i>	Res bre	C	11,
82.	White-bibbed Ground-Dove	<i>Gallicolumba jobiensis jobiensis</i>	Res bre	UC in forest adjacent to beach & rivers.	3,11,
83.	Pheasant Pigeon	<i>Otidiphaps nobilis nobilis</i>	Res bre	Confirmed as resident,	15,

84.	Victoria Crowned Pigeon	<i>Goura victoria victoria</i>	Res bre	?	3,11,
85.	Wompoo Fruit-Dove	<i>Ptilinopus magnificus septentrionalis</i>	Res bre	MC,	3,11,
86.	Pink-spotted Fruit-Dove	<i>Ptilinopus perlatus</i>	Res bre	?	3,
87.	Orange-fronted Fruit-Dove	<i>Ptilinopus aurantiifrons</i>	Res bre	Near sea-level < 300m.	3,11,
88.	Coroneted Fruit-Dove	<i>Ptilinopus coronulatus geminus</i>	Res bre	MC,	3,11,
89.	White-bibbed Fruit-Dove	<i>Ptilinopus rivoli miquelii</i>	Res bre	?	3,5,11,
90.	Orange-bellied Fruit-Dove	<i>Ptilinopus iozonus jobiensis</i>	Res bre	MC,	3,11,
91.	Claret-breasted Fruit-dove	<i>Ptilinopus viridis salvadori</i>	Res bre	?	11,12,
92.	Spice Imperial Pigeon	<i>Ducula myristicivora</i>	Res bre	?	3,
93.	Purple-tailed Imperial Pigeon	<i>Ducula rufigaster uropygialis</i>	Res bre	MC	11,
94.	Pinon Imperial Pigeon	<i>Ducula pinon jobiensis</i>	Res bre	MC	3,11,
95.	Zoe Imperial Pigeon	<i>Ducula zoeae</i>	Res bre	?	3,
96.	Pied Imperial Pigeon	<i>Ducula bicolor spilorrhoea</i>	Win mig	?	11,
97.	Papuan Mountain Pigeon	<i>Gymnophaps albertisii</i>	Res bre	?	3,
98.	Dusky Lory	<i>Pseudeos fuscata</i>	Res bre	?	3,
99.	Rainbow Lorikeet	<i>Trichoglossus haematodus berauensis</i>	Res bre	?	3,11,
100.	Western Black-capped Lory	<i>Lorius lory jobiensis</i>	Res bre	MC	3,11,12,
101.	Palm Cockatoo	<i>Probosciger aterrimus intermedius/stenolophus</i>	Res bre	?	3,11,
102.	Sulphur-crested Cockatoo	<i>Cacatua galerita</i>	Res bre	?	3,5,
103.	Red-cheeked Parrot	<i>Geoffroyus geoffroyi jobiensis</i>	Res bre	MC	3,11,12,
104.	Eclectus Parrot	<i>Eclectus roratus pectoralis</i>	Res bre	?	3,11,
105.	Brush Cuckoo	<i>Cuculus variolosus infaustus</i>	Res bre/Win Mig	MC.	3,11,
106.	Chestnut-breasted Cuckoo	<i>Cuculus castaneiventris</i>	Res bre	?	3,
107.	Common Koel	<i>Eudynamys scolopacea</i>	Res bre/Win mig	?	3,
108.	Greater Black Coucal	<i>Centropus menbeki menbeki</i>	Res bre	C,	3,11,
109.	Sooty Owl	<i>Tyto tenebricosa arfaki</i>	Res bre	?	3,11,
110.	Papuan Hawk-Owl	<i>Uroglaux dimorpha</i>	Res bre	Uncommon VR,	3,10,11,
111.	Papuan Frogmouth	<i>Podargus papuensis</i>	Res bre	6 spec. AMNH + 4 Brit Mus.	3,6,11,
112.	Marbled Frogmouth	<i>Podargus ocellatus ocellatus</i>	Res bre	UC,	11,
113.	Large-tailed Nightjar	<i>Caprimulgus macrurus yorki</i>	Res bre	?	3,11,
114.	Moustached Tree-swift	<i>Hemiprocne mystacea mystacea</i>	Res bre	?	3,11,
115.	Blyth's Hornbill	<i>Rhyticeros plicatus jungei</i>	Res bre	2 spec.	3,
116.	Uniform Swiftlet	<i>Aerodramus vanikorensis granti</i>	Res bre	4 spec. AMNH	3,7,11,
117.	Mountain Swiftlet	<i>Aerodramus hirundinaceus baru</i>	Res bre	6 spec. AMNH	3,7,11,
118.	Glossy Swiftlet	<i>Collocalia esculenta</i>	Res	?	3,
119.	Hook-billed Kingfisher	<i>Melidora macrorrhina</i>	Res bre	?	3,10,
120.	Rufous-bellied Kingfisher	<i>Dacelo gaudichaud</i>	Res bre	VC.	3,10,11,
121.	Blue-black Kingfisher	<i>Todirhamphus nigrocyanea quadricolour</i>	Res bre	?	3,11,
122.	Sacred Kingfisher	<i>Todirhamphus sancta</i>	Win mig	?	3,
123.	Beach Kingfisher	<i>Todirhamphus saurophaga</i>	Res bre	?	3,
124.	Yellow-billed Kingfisher	<i>Syma torotoro torotoro</i>	Res bre	Common.	3,11,
125.	Azure Kingfisher	<i>Alcedo azurea</i>	Res bre	?	3,
126.	Variable Dwarf Kingfisher	<i>Ceyx lepidus solitarius</i>	Res bre	?	11,
127.	Rainbow Bee-eater	<i>Merops ornatus</i>	Win mig	?	3,
128.	Dollarbird	<i>Eurystomus orientalis waigiouensis</i>	Res/Win mig	MC.	3,11,
129.	Blyth's Hornbill	<i>Rhyticeros plicatus jungei</i>	Res bre	MC.	3,11,

130.	Blue-breasted Pitta	<i>Pitta erythrogaster macklotii</i>	Res bre	MC in Forests and remnant forest. MC,	3,8,11,
131.	Hooded Pitta	<i>Pitta versicolor</i>	Res bre	?	3,
132.	Pacific Swallow	<i>Hirundo tahitica</i>	Res bre	UC-LA near fresh water.	3,8,
133.	Grey Wagtail	<i>Motacilla cinerea</i>	Sum mig	UC-LMC in Mtn streams, lake and pond shores.	7,
134.	White-bellied Cuckoo-shrike	<i>Coracina papuensis papuensis</i>	Res bre	C-VC in forest edges, savanna, regrowth, littoral woodland	7,11,
135.	Stout-billed Cuckoo-Shrike	<i>Coracina caeruleo-grisea strenua</i>	Res bre	UC-LMC in & near forests regrowth and disturbed Habitat. MC.	3,8,11,
136.	Boyer's Cuckoo-shrike	<i>Coracina b. boyeri</i>	Res bre	C in lowland forests, clearings, regrowth & mangroves	3,8,11,
137.	Slender-billed Cicadabird	<i>Coracina tenuirostris</i>	Win mig	?	3,
138.	Black-shouldered Cicadabird	<i>Coracina incerta (morio)</i>	Res bre	UC-MC & local in hill forests.	3,8,11,15,
139.	Grey-headed Cuckoo-shrike	<i>Coracina schisticeps</i>	Res bre	?	3,
140.	Black Cuckoo-shrike	<i>Coracina melaena tommasonis</i>	Res bre	MC.	11,
141.	Grey-streaked Flycatcher	<i>Muscicapa griseisticta</i>	Sum mig	Rare in clearings and forest edges < 1460m.	8,
142.	Chestnut-backed Jewel-babbler	<i>Ptilorrhoa castanonotus</i>	Res bre	MC-C in Forests >300m 1 st Rec,	3,8,15,
143.	Grey's Grasshopper-Warbler	<i>Locustella fasciolata</i>	Sum mig	LMC Oct-Apr in regrowth forests, & thickets.	8,
144.	Island Leaf-Warbler	<i>Phylloscopus trivirgatus</i>	Res bre	MC-C in Lg & Sm forests & their edges.	8,
145.	Wallace's Fairy-wren	<i>Sipodotus wallacii</i>	Res bre	MC in forests of foothills.	3,8,10,11,
146.	Emperor Fairy-wren	<i>Malurus cyanocephalus</i>	Res bre	MC in patches of scrub along creeks and in forest breaks.	3,8,
147.	Rusty Mouse-warbler	<i>Crateroscelis murina murina</i>	Res bre	C-VC in forests of Foothills and hills, sometimes lowlands.	3,8,11,
148.	Pale-billed Scrub-wren	<i>Sericornis s. spilodera</i>	Res bre	MC in hills >200m	3,8,11,
149.	Perplexing Scrub-wren	<i>Sericornis virgatus jobiensis</i>	Res bre	Obs.,	3,11,13,
150.	Yellow-bellied Gerygone	<i>Gerygone chrysogaster</i>	Res bre	MC-VC in lowland rainforests	3,8,
151.	Fairy Gerygone	<i>Gerygone palpebrosa wahnesei</i>	Res bre	C in hill forests, UC in lowland forests. C.	3,8,11,
152.	Large-billed Gerygone	<i>Gerygone magnirostris</i>	Res bre	LC-VC in mangroves, swamps and other wet locations.	3,8,
153.	Sooty Thicket-Fantail	<i>Rhipidura threnothorax fumosa</i>	Res bre	C-VC in swampy and dry habitats with dense shade	3,8,11,
154.	Rufous-backed Fantail	<i>Rhipidura rufidorsa</i>	Res bre	MC-VC in lowland forest.	3,8,
155.	Chestnut-bellied Fantail	<i>Rhipidura hyperythra mülleri</i>	Res bre	MC-C in forests < 1370m MC.	3,8,11,
156.	Northern Fantail	<i>Rhipidura rufiventris gularis</i>	Res bre	MC-C in all forests, forest edges and regrowth of lowland. & hills C.	3,8,11,
157.	Willie Wagtail	<i>Rhipidura leucophrys</i>	Res bre	?	3,
158.	Island Monarch	<i>Monarcha cinerascens geelvinkianus</i>	Res bre	MC-VC Inhabits littoral forest, scrub and gardens.	3,8,11,
159.	Frisled Monarch	<i>Monarcha telescopthalmus insularis</i>	Res bre	?	3,11,
160.	Spot-winged Monarch	<i>Monarcha guttulus</i>	Res bre	C in Rainforest, monsoon forest & tall regrowth-quiet.	3,8,11,
161.	Rufous-collared Monarch	<i>Arses insularis</i>	End + NG	MC-C in lowlands.	8,
162.	Shining Flycatcher	<i>Myiagra alecto chalybeocephalus</i>	Res bre	UC-C in Lowland Swamp forest, littoral & riparian scrub F have dark chestnut back, M variable.	2,3,8,11,12,
163.	Olive Flyrobin	<i>Microeca flavovirescens</i>	Res bre	MC-VC in rainforest & monsoon forest.	3,8,
164.	White-faced Robin	<i>Tregallasia leucops</i>	Res bre	UC-MC in hills	3,8,
165.	Black-chinned Robin	<i>Poecilodryas brachyura albotaeiniata</i>	Res bre	LMC in Lowland forest <650m	3,8,11,
166.	White-rumped Robin	<i>Peneothello bimaculatus</i>	Res bre	UC using higher forests	3,8,
167.	Green-backed Robin	<i>Pachycephalopsis hattamensis insularis</i>	Res bre	In hills. 1 coll Aug 1983,	3,8,12,
168.	Grey Whistler	<i>Pachycephala simplex griseiceps</i>	Res bre	C in lowlands. C.	3,7,11,
169.	Little Shrike-thrush	<i>Colluricincla megarhyncha obscurus</i>	Res bre	C-A more often heard than seen in forest & regrowth C.	3,8,11,
170.	Variable Pitohui	<i>Pitohui kirhocephalus jobiensis</i>	Res bre	Rare- VC in forests UC-C.	3,8,10,11,
171.	Hooded Pitohui	<i>Pitohui dichrous dichrous</i>	Res bre	LMC in forests and regrowth.	3,8,11,
172.	Rusty Pitohui	<i>Pitohui ferrugineus holerythrus</i>	Res bre	MC-C in all forests & regrowth.	3,8,11,

173.	Black Berrypecker	<i>Melanocharis nigra unicolour</i>	Res bre	?	3,11,
174.	Red-capped Flowerpecker	<i>Dicaeum g. geelvinkianum</i>	Res bre	MC-C but inconspicuous. Painting, MC.	3,8,10,11,
175.	Black-crowned White-eye	<i>Zosterops atrifrons minor</i>	Res bre		11,
176.	Black Sunbird	<i>Nectarinia aspasia sericeus</i>	Res bre	MC-C in forests and forest edges.	3,8,11,
177.	Olive-backed Sunbird	<i>Nectarinia jugularis</i>	Res bre	MC-C outside of forests	3,8,
178.	Long-billed Honeyeater	<i>Melilestes megarhynchus stresemanni</i>	Res bre	Common but inconspicuous.	3,8,11,
179.	Yellow-bellied Longbill	<i>Toxorhamphus n. novaeguineae</i>	Res bre	?	3,11,
180.	Plumed Longbill	<i>Toxorhamphus iliolophus iliolophus</i>	Res bre	A. & ubiquitous in lowlands & hill forest.	3,8,11,
181.	Green-backed Honeyeater	<i>Glycichaera fallax</i>	Res bre	mostly UC occasionally LC.	3,8,
182.	Red Myzomela	<i>Myzomela cruentata</i>	Res bre	UC-LMC	3,8,10,
183.	Black Myzomela	<i>Myzomela nigrita meyeri</i>	Res bre	LMC probably nomadic.	3,8,10,11,
184.	Puff-backed Meliphaga	<i>Meliphaga aruensis</i>	Res bre	MC-C in Forest and tall regrowth < 1200m	3,8,
185.	Forest Meliphaga	<i>Meliphaga montana steini</i>	Res bre	Secretive in forests 500-1500m. MC in mid mtns UC in lowlands, MC 800-1400m Aug 1983,	8,11,15,
186.	Mimic Meliphaga	<i>Meliphaga analoga flavida</i>	Res bre	C in forest, regrowth & gardens.	3,8,11,
187.	Varied Honeyeater	<i>Lichenostomus versicolour sonoroides</i>	Res bre	MC-VC.C.	3,8,11,
188.	Tawny-breasted Honeyeater	<i>Xanthotis flaviventer meyeri</i>	Res bre	A. & ubiquitous.	2,8,11,
189.	Helmeted Friarbird	<i>Philemon buceroides jobiensis</i>	Res bre	Common.	3,8,11,
190.	Metallic Starling	<i>Aplonis metallicus</i>	Res bre	MC-VC	3,8,
191.	Yellow-faced Myna	<i>Mino dumontii dumontii</i>	Res bre	MC-C	3,8,11,
192.	Golden Myna	<i>Mino anais orientalis</i>	Res bre	C.	11,
193.	Spangled Drongo	<i>Dicrurus bracteatus carbonarius</i>	Res bre	CU in Rain Gallery, Monsoon & Teak forests & mangroves.	3,8,11,
194.	Hooded Butcherbird	<i>Cracticus cassicus cassicus</i>	Res bre	Prefers riparian forest C.	3,8,11,
195.	Black Butcherbird	<i>Cracticus quoyi quoyi</i>	Res bre	UC-MC UC.	3,8,11,
196.	Jobi Manucode	<i>Manucodia jobiensis jobiensis</i>	Res bre	C.	3,11,
197.	King Bird-of-Paradise	<i>Cicinnurus regius coccinifrons</i>	Res bre	?	3,11,
198.	Magnificent Bird-of-Paradise	<i>Cicinnurus magnificus chrysopterus</i>	Res bre	?	3,10,11,
199.	Lesser Bird-of-Paradise	<i>Paradisaea minor jobiensis</i>	Res bre	?	3,11,
200.	Grey Crow	<i>Corvus tristis</i>	Res bre	MC.	3,11,
201.	Torresian Crow	<i>Corvus orru</i>	Res bre	?	3,8,

KEY

Ecological status

End = Endemic to Island unless otherwise stated, **Res bre** = Resident breeder, **Res** = resident ie breeding not proven or not likely. For seabirds it means they have or should be found in that area: note other refs. **Vag** = Vagrant, **Res/mig** = Part of population migratory, **Sum mig** = Summer migrant, **Win mig** = Winter migrant, **Spr/Aut mig** = Passage migrant in Spring and Autumn, **Intro** = Introduced.

Abundance

R = rare, **S** = scarce, **UC** = uncommon, **MC** = moderately common, **LC** = locally common, **C** = common, **VC** = very common, **A** = abundant, **P** = present.

Colour coding applies only to one species on a particular list. eg. An abundance comment in red for the Brown Booby refers to the Ref # in Red for that species only.

Alternate Island Names & alternate common Bird Names are recorded in two separate spreadsheet files.

REFERENCES

1. Mayr, E. & J. Diamond. 2001. **The Birds of Northern Melanesia**. Oxford University Press, Oxford.
2. Mayr, E. 1941. Birds collected during the Whitney South Sea Expedition *Am. Mus. Novit.* 1133.
3. Beehler, B.M., T.K. Pratt & D.A. Zimmerman. 1986. **Birds of New Guinea**. Princeton University Press, Princeton.

4. Mayr, E. & D. Amadon. 1941. Birds collected during the Whitney South Sea Expedition. XLVI. Geographical variation in *Demigretta sacra* (Gmelin). *Am. Mus. Novit.* 1144: 1-11.
5. Mayr, E. 1937b. Birds collected during the Whitney South Sea Expedition. 36. Notes on New Guinea Birds. 3. *Am. Mus. Novit.* 947: 1-11.
6. Mayr, E. 1937a. Birds collected during the Whitney South Sea Expedition. 35. Notes on New Guinea Birds. 2. *Amer. Mus. Novit.* 939: 1-14.
7. Mayr, E. 1937. Birds collected during the Whitney South Sea Expedition. 33. Notes on New Guinea Birds 1. *Am. Mus. Novit.* 915: 1-19.
8. Coates, B.J. 1990. **The Birds of Papua New Guinea Vol. 2.** Dove Pub. Aldersley, Qld.
9. Coates, B.J. 1990. **The birds of Papua New Guinea Vol 1.** Dove Publ. Aldersley, Qld.
10. Gould, J. & A. Rutgers. 1970. **Birds of New Guinea.** Methuen. London.
11. Rand, A.L., & E.T Gilliard. 1967. **Handbook of New Guinea Birds.** Weidenfeld & Nicolson, London.
12. Iredale, T. 1956. **Birds of New Guinea. Vol. 1.** Georgian House, Melbourne.
13. Mayr, E. 1941. Birds collected during the Whitney South Sea Expedition. 45. Notes on New guinea Birds 8. *Amer. Mus. Novit.* 1133, 1-8.
14. Sharpe, R.B. 1877. On a new species of Goshawk from the Island of Jobi. *J. Linnean Soc. (Zool.)* 13, 437-439.
15. Diamond, J. M. 1985. New distributional records and taxa from the outlying mountain ranges of New Guinea. *Emu* 85, 65-91.