

Salawati Is. Bird Checklist

West Papua Isl. Indonesia.

Compiled by Michael K. Tarburton, Pacific Adventist University, PNG.

swiftlet@optusnet.com.au

#	Common Name	Scientific Name	Ecol. Status	Abundance	References
1.	Little Grebe	<i>Tachybaptus ruficollis</i>	?	1 seen Mar 2006,	12,
2.	Northern Cassowary	<i>Casuarus unappendiculatus</i>	Res bre	P, Tracks seen 12.4.2006, F obs 19.7.2011,	3,9,17,18,
3.	Wilson's Storm-petrel	<i>Fregatta oceanicus</i>	Win Vag	Few dozen seen Mar 06,	12,
4.	Matsudaira's Storm-Petrel	<i>Oceanodroma matsudairae</i>	Mig Spr/Aut	1 seen Mar 2006,	12,
5.	Lesser Frigatebird	<i>Fregata ariel</i>	Res	8 obs 18.7.2011,	18,
6.	Little Pied Cormorant	<i>Phalacrocorax melanoleucos</i>	Res bre	P,	3,
7.	Australian Darter	<i>Anhinga melanogaster</i>	Res	Obs daily Mar 2006,	12,
8.	Pied Heron	<i>Ardea picata</i>	Res bre	2 on east coast Mar 2006,	12,
9.	Eastern Great Egret	<i>Ardea modesta</i>	Res	Obs most day Mar 2006, Obs 18.7.2011,	12,18,
10.	Eastern Reef Egret	<i>Egretta sacra</i>	Res	2 spec. AMNH	4,
11.	Striated Heron	<i>Ardeola striata</i>	Res bre	Obs Mar 2006,	12,
12.	Rufous Night Heron	<i>Nycticorax c. caledonicus</i>	Res bre	1 spec. AMNH.	5,
13.	Forest Bittern	<i>Zonerodius heliosylus</i>	Res bre	P, Uncommon	3,9,
14.	Black Bittern	<i>Ixobrychus flavicollis</i>	Res bre	Heard 2x Mar 2006,	12,
15.	Cinnamon Bittern	<i>Ixobrychus cinnamomeus</i>	?	Seen Mar 2006 2 nd or 3 rd rec for NG region,	12,
16.	Australian White Ibis	<i>Threskiornis moluccus</i>	?	P,	9,
17.	Eastern Osprey	<i>Pandion haliaetus</i>	Res	Obs 18.7.2011,	18,
18.	White-bellied Sea-Eagle	<i>Haliaeetus leucogaster</i>	Res	Obs 19.7.2011,	18,
19.	Gurney's Eagle	<i>Aquila gurneyi</i>	Res	P,	3,
20.	Pacific Baza	<i>Aviceda subcristata</i>	Res bre	P, Obs 19.7.2011,	9,18,
21.	Grey-faced Buzzard	<i>Butastur indicus</i>	Win mig	P,	4,9,
22.	Long-tailed Honey-buzzard	<i>Henicopernis longicauda</i>	Res	Obs 18 th & 19.7.2011,	18,
23.	Brahminy Kite	<i>Haliastur indus</i>	Res	Obs 18 th & 19.7.2011,	18,
24.	Variable Goshawk	<i>Accipiter hiogaster</i>	Res	P,	9,
25.	Grey-headed Goshawk	<i>Accipiter poliocephalus</i>	Res bre	P, MC,	3,9,
26.	Collared Sparrowhawk	<i>Accipiter cirrhocephalus papuanus</i>	Res bre	P, MC	3,9,
27.	Oriental Hobby	<i>Falco severus papuanus</i>	Sum mig	P, UC,	3,9,
28.	Peregrine Falcon	<i>Falco peregrinus</i>	?	Obs Mar 2006,	12,
29.	Wandering Whistling Duck	<i>Dendrocygna arcuata</i>	Vag	Possible sighting Mar 2006,	12,
30.	Radjah Shelduck	<i>Tadorna radjah</i>	Res	1 obs 19.7.2011,	18,
31.	Barred Rail	<i>Rallus torquatus limarius</i>	Res bre	Inhabits swamps R.	7,9,
32.	Red-necked Rail	<i>Rallina tricolor</i>	Res	Obs Mar 2006,	12,
33.	Spotless Crake	<i>Porzana tabuensis (3 ssp)</i>	Res bre	Obs Mar 2006,	12,
34.	Baillon's Crake	<i>Porzana pusilla mayri</i>	Res bre	Obs Mar 2006,	12,
35.	Dusky Scrubfowl	<i>Megapodius f. freycinet</i>	Res bre	MC	9,10,
36.	Red-billed Brush-turkey	<i>Talegalla cuvieri</i>	Res bre	P, Inhabits lowland & hill forest. MC, Heard 12.4.2006,	3,7,9,10,17,

37.	Brown Quail	<i>Coturnix australis</i>	?	Obs Mar 2006,	12,
38.	King Quail	<i>Coturnix chinensis</i>	?	Obs Mar 2006,	12,
39.	Purple Swamphen	<i>Porphyrio porphyrio</i>	?	Obs Mar 2006,	12,
40.	Comb-crested Jacana	<i>Irediparra gallinacea</i>	?	Obs Mar 2006,	12,
41.	Crested Tern	<i>Thalasseus bergii</i>	Res	Obs 18.7.2011,	18,
42.	White-throated Pigeon	<i>Columba vitiensishalmaheira</i>	Res bre	UC, Obs Mar 2006,	9,12,
43.	Slender-billed Cuckoo-dove	<i>Macropygia amboinensis</i>	?	Obs Mar 2006,	12,
44.	Great Cuckoo-Dove	<i>Reinwardtoena reinwardtii griseotincta</i>	Res bre	MC, Obs Mar 2006,	9,12,
45.	Stephan's Dove	<i>Chalcophaps s. stephani</i>	Res bre	C. Obs 18 th & 19.7.2011,	9,18,
46.	New Guinea Bronzewing	<i>Henicophaps a. albifrons</i>	Res bre	C in rainforests	9,
47.	Nicobar Pigeon	<i>Caloenas n. nicobarica</i>	Res bre	MC	9,
48.	Cinnamon Ground Dove	<i>Gallicolumba rufigula</i>	Res bre	MC in old lowland forests,	9,
49.	Thick-billed Ground Pigeon	<i>Trugon t. terrestris</i>	Res bre	P,	3,9,
50.	Pheasant Pigeon	<i>Otidiphaps nobilis</i>	Res bre	Diamond never heard it and locals who know it say it is not there Oct 1983..	13,
51.	Western Crowned Pigeon	<i>Goura cristata minor</i>	Res bre	P, Inhabits lowland and foothill forests. C < 100m, 3 obs 12.4. 2006, Obs 18.7.2011,	3,7,9,17,18,
52.	Wompoo Fruit-dove	<i>Ptilinopus magnificus puella</i>	Res bre	MC-C in most forest types.	9,
53.	Pink-spotted Fruit-Dove	<i>Ptilinopus perlatus</i>	Res bre	P,	3,
54.	Orange-fronted Fruit-Dove	<i>Ptilinopus aurantifrons</i>	Res bre	Near sea-level < 300m.	3,9,
55.	Superb Fruit-Dove	<i>Ptilinopus superbus</i>	Res bre	Obs Mar 2006,	12,
56.	Coroneted Fruit-Dove	<i>Ptilinopus coronulatus trigeminus</i>	Res bre	P, MC	3,9,
57.	Beautiful Fruit-Dove	<i>Ptilinopus pulchellus</i>	Res bre	P,	3,
58.	White-bibbed Fruit-Dove	<i>Ptilinopus rivoli prasinorrhous</i>	Res bre	P,	9,
59.	Claret-breasted Fruit-Dove	<i>Ptilinopus viridis</i>	Res bre	1 st Obs,	13,
60.	Orange-bellied Fruit-Dove	<i>Ptilinopus iozonus humeralis</i>	Res bre	P, MC,	3,9,
61.	Dwarf Fruit-Dove	<i>Ptilinopus nanus minimus</i>	Res bre	R,	9,
62.	Purple-tailed Imperial Pigeon	<i>Ducula r. rufigaster</i>	Res bre	P,MC	3,9,
63.	Pinon Imperial Pigeon	<i>Ducula p. pinon</i>	Res bre	MC	9,
64.	Zoe Imperial Pigeon	<i>Ducula zoeae</i>	Res bre	P, MC	3,9,
65.	Pied Imperial Pigeon	<i>Ducula bicolor</i>	Res bre	P,	9,
66.	Spice Imperial Pigeon	<i>Ducula m. myristicivora</i>	Res bre	P, Obs 18 th & 19.7.2011,	9,18,
67.	Black Lory	<i>Chalcopsitta a. atra</i>	Res bre	P, Found in lowland forest & woodland, Sev coll for Tring, 3 flocks of 10+ 18.7.2011,	3,7,9,11,16,18,
68.	Dusky Lory	<i>Pseudeos f. fuscata</i>	Res bre	P, Red & yellow morphs coll for Tring,	3,9,16,
69.	Rainbow Lorikeet	<i>Trichoglossus haematodus</i>	Res	Obs 18.7.2011,	18,
70.	Western Black-capped Lory	<i>Lorius l. lory</i>	Res bre	P, MC, Obs 18 th & 19.7.2011,	3,9,18,
71.	Red-fronted Lory	<i>Charmosyna r. rubronotata</i>	Res bre	P, MC	3,9,
72.	Red-flanked Lorikeet	<i>Charmosyna placentis</i>	Res bre	P, Obs 19.7.2011,	3,18,
73.	Palm Cockatoo	<i>Probosciger aterrimus alecto</i>	Res bre	= type locality, though misquoted as Australia, M coll. by Doherty, Obs 18.7.2011,	11,16,18,
74.	Sulphur-crested Cockatoo	<i>Cacatua galerita triton</i>	Res bre	P, Obs 18 th & 19.7.2011,	16,18,
75.	Eclectus Parrot	<i>Eclectus roratus</i>	Res bre	P, Obs 19.7.2011,	16,18,
76.	Yellow-capped Pygmy-Parrot	<i>Micropsitta keiensis chloroxantha</i>	Res bre	P,	16,
77.	Orange-breasted Fig-Parrot	<i>Cyclopsitta g. guliemiterti</i>	Res bre	P, UC-R	3,9,
78.	Double-eyed Fig-Parrot	<i>Cyclopsitta d. diophthalma</i>	Res bre	P,	16,

79.	Red-cheeked Parrot	<i>Geoffroyus geoffroyi pucherani</i>	Res bre	Coll by Kühn for Tring, Obs 18 th & 19.7.2011,	16,18,
80.	Large Fig-Parrot	<i>Psittaculirostris desmarestii occidentalis</i>	Res bre	P, UC or L, 2+ seen 12.4.2006,	3,9,17,
81.	Great-billed Parrot	<i>Tanygnathus m. megalorynchos</i>	Res bre	P, Inhabits coastal forest and mangroves of islands.	3,7,9,
82.	Moluccan King Parrot	<i>Alisterus amboinensis dorsalis</i>	Res bre	Present in lowland, hill and lower montane forest. UC.	7,9,
83.	Pallid Cuckoo	<i>Cuculus pallidus</i>	Win Vag	Obs Mar 2006,	12,
84.	Brush Cuckoo	<i>Cuculus variolosus infaustus & variolosus</i>	Res bre/Win Mig	MC, Obs 19.7.2011,	9,18,
85.	Chestnut-breasted Cuckoo	<i>Cacomantis castaneiventris</i>	Win Mig?	Obs 18.7.2011,	18,
86.	Long-billed Cuckoo	<i>Rhamphomantis megarhynchus</i>	?	Obs Mar 2006,	12,
87.	White-crowned Koel	<i>Caliechthrus leucolophus</i>	End. + NG	P, MC	3,9,
88.	Eastern Koel	<i>Eudynamys orientalis rufiventer</i>	Res bre/Win mig	R.	9,
89.	Channel-billed Cuckoo	<i>Scythrops novaehollandiae</i>	Win mig	Obs 18.7.2011,	18,
90.	Greater Black Coucal	<i>Centropus m. menbeki</i>	Res bre	C.	9,
91.	Marbled Frogmouth	<i>Podargus o. ocellatus</i>	Res bre	P,	3,9,
92.	Papuan Frogmouth	<i>Podargus papuensis</i>	Res bre	1 spec. AMNH, P,	6,9,
93.	Papuan Nightjar	<i>Eurostopodus p. papuensis</i>	Res bre	P,	3,9,
94.	Large-tailed Nightjar	<i>Caprimulgus macrurus</i>	?	Obs Mar 2006,	12,
95.	Glossy Swiftlet	<i>Collocalia esculenta</i>	Res	Obs 18.7.2011,	18,
96.	Uniform Swiftlet	<i>Aerodramus vanikorensis</i>	Res	Obs 18.7.2011,	18,
97.	Moustached Tree-swift	<i>Hemiprogne mystacea</i>	Res	Obs 18.7.2011,	18,
98.	Azure Kingfisher	<i>Alcedo azurea</i>	Res	Obs 18 th & 19.7.2011,	18,
99.	Common Paradise-Kingfisher	<i>Tanyptera g. galatea</i>	Res Bre	P, Heard 18.7.2011,	9,18,
100.	Hook-billed Kingfisher	<i>Melidora m. macrorrhina</i>	Res bre	P,	9,
101.	Rufous-bellied Kookaburra	<i>Dacelo gaudichaud</i>	Res bre	VC. Obs 19.7.2011,	9,18,
102.	Blue-black Kingfisher	<i>Todiramphus n. nigrocyanea</i>	Res bre	P,	3,9,
103.	Collared Kingfisher	<i>Todiramphus c. chloris</i>	Res bre	UC	9,
104.	Sacred Kingfisher	<i>Todiramphus sanctus</i>	Win mig	Obs 19.7.2011,	18,
105.	Yellow-billed Kingfisher	<i>Syma t. torotoro</i>	Res bre	P, Heard 19.7.2011,	9,18,
106.	Variable Dwarf Kingfisher	<i>Ceyx lepidus solitarius</i>	Res bre	P,	9,
107.	Common Kingfisher	<i>Alcedo atthis hispidoides</i>	Res bre	P,	3,9,
108.	Rainbow Bee-eater	<i>Merops ornatus</i>	Win Mig	Obs 19.7.2011,	18,
109.	Dollarbird	<i>Eurystomus orientalis</i>	Win mig	Obs 18 th & 19.7.2011,	18,
110.	Blyth's Hornbill	<i>Rhyticeros plicatus ruficollis</i>	Pass mig	MC. Obs 18 th & 19.7.2011,	9,18,
111.	Red-bellied Pitta	<i>Pitta erythrogaster macklotii</i>	Res bre	MC in Forests and remnant forest. MC, Heard 19.7.2011,	3,7,9,18,
112.	Hooded Pitta	<i>Pitta sordida</i>	?	Obs Mar 2006, 3 obs 19.7.2011,	12,18,
113.	Pacific Swallow	<i>Hirundo tahitica</i>	Res bre	UC-LA near fresh water.	3,7,
114.	White-bellied Cuckoo-shrike	<i>Coracina p. papuensis</i>	Res bre	C-VC in forest edges, savanna, regrowth, littoral woodland. Obs 18 th & 19.7.2011,	3,7,9,18,
115.	Boyer's Cuckoo-Shrike	<i>Coracina boyeri</i>	Res bre	P,	3,
116.	Slender-billed Cicadabird	<i>Coracina tenuirostris mülleri</i>	Res/Bre	UC in forest, forest edges, gardens, savanna & mangroves	7,9,
117.	Grey-headed Cuckoo-shrike	<i>Coracina schisticeps</i>	Res bre	LC in canopy of rainforest, forest edges and regrowth. 200-700m.	7,13,
118.	Black Cuckoo-shrike	<i>Coracina m. melaena</i>	Res bre	P, C in lowland rainforest & mangroves, MC at higher altitude.	MC.3,7,9,
119.	Varied Triller	<i>Lalage leucomela (atrovirens)</i>	Res	P,	2,
120.	Black-browed Triller	<i>Lalage a. atrovirens</i>	Res bre	P,	3,9,
121.	Blue Jewel-babbler	<i>Ptilorrhoea caerulescens</i>	Res bre	Possible sighting only, Accepted,	3,7,14,
122.	Grey's Grasshopper-Warbler	<i>Locustella fasciolata</i>	Sum mig	LMC Oct-Apr in regrowth forests, & thickets.	7,
123.	Wallace's Fairy-wren	<i>Sipodotus wallacii</i>	?	Obs Mar 2006,	12,

124.	Great Reed-warbler	<i>Acrocephalus arundinaceus</i>	?	Obs Mar 2006,	12,
125.	Broad-billed Fairy-wren	<i>Malurus grayi</i>	Res bre	P, UC along streams and breaks in forests. R,	3,7,9,
126.	Emperor Fairy-wren	<i>Malurus c. cyanocephalus</i>	Res bre	P, MC in patches of scrub along creeks and in forest breaks.	3,7,9,
127.	Green-backed Gerygone	<i>Gerygone chloronotus cinereiceps</i>	Res bre	P, LMC or UC in lowland forest edges & disturbed forest or bush.	3,7,14,
128.	Fairy Gerygone	<i>Gerygone p. palbebrosa</i>	Res bre	P, C in hill forests, UC in lowland forests.	3,7,14,
129.	Large-billed Gerygone	<i>Gerygone magnirostris cobana</i>	Res bre	P, LC-VC in mangroves, swamps and other wet locations.	3,7,9,
130.	Sooty Thicket-Fantail	<i>Rhipidura t. threnothorax</i>	Res bre	P, C-VC in swampy and dry habitats with dense shade. UC.	3,7,9,
131.	Black Thicket-Fantail	<i>Rhipidura maculipectus</i>	Res bre	P, UC-MC in dense shade close to ground. Very shy. Obs 19.7.3,7,9,18, 2011,	
132.	Rufous Fantail	<i>Rhipidura rufifrons squamata</i>	Res bre	P, Mainly in mangroves UC-C.	3,7,9,
133.	Northern Fantail	<i>Rhipidura rufiventris gularis</i>	Res bre	MC-C in all forests, forest edges and regrowth of lowl. & hills Obs 18 th & 19.7.2011,	1,3,9,18,
134.	Willie Wagtail	<i>Rhipidura leucophrys</i>	Res	Obs 19.7.2011,	18,
135.	Rusty Mouse-warbler	<i>Crateroscelis murina murina</i>	Res bre	P, C-VC in forests of Foothills and hills, sometimes lowlands. MC, Obs 12.4.2006,	3,7,9,17,
136.	Spot-winged Monarch	<i>Monarcha guttula</i>	Res bre	C in Rainforest, monsoon forest & tall regrowth-quiet. P 12.4. 2006, Obs 18 th & 19.7.2011,	7,17,18,
137.	Spectacled Monarch	<i>Monarcha trivirgatus bernsteini</i>	Res bre	P, P, MC in lower portions of Monsoon forest, P,	1,3,7,9,
138.	Golden Monarch	<i>Monarcha chrysomela melanonotus</i>	Res bre	P, MC-C in most forests < 700m Obs 19.7.2011,	3,7,9,18,
139.	Friiled Monarch	<i>Monarcha t. telescopthalmus</i>	Res bre	P, C in rainforest, monsoon forest & regrowth < 1100m. C. Obs 18 th & 19.7.2011,	3,7,9,18,
140.	Shining Flycatcher	<i>Myiagra alecto chalybeocephalus</i>	Res bre	UC-C in Lowland Swamp forest, littoral & riparian scrub Obs 18 th & 19.7.2011,	7,9,18,
141.	Yellow-breasted Boatbill	<i>Machaerirhynchus flaviventer albigula</i>	Res bre	P, MC in Rainforest, monsoon forest & regrowth. UC.	3,7,9,15,
142.	Grey-streaked Flycatcher	<i>Muscicapa griseisticta</i>	Sum mig	Rare in clearings and forest edges < 1460m.	7,
143.	Black-sided Robin	<i>Poecilodryas h. hypoleuca</i>	Res bre	P, MC-C in Swamp forest, rainforest & sago palms, Obs 18.7. 2011,	3,7,9,18,
144.	Common Golden Whistler	<i>Pachycephala pectoralis</i>	?	Obs on N coast Mar 2006,	12,
145.	Grey Whistler	<i>Pachycephala simplex griseiceps</i>	Res bre	C in lowlands. C.	7,9,
146.	Grey-headed Whistler	<i>Pachycephala griseiceps</i>	Res	Obs 18 th & 19.7.2011	18,
147.	Island Whistler	<i>Pachycephala phaionota</i>	Res bre	Coastal UC-MC,	14,
148.	Little Shrike-thrush	<i>Colluricincla megarhyncha megarhynchus</i>	Res bre	C-A more often heard than seen in forest & regrowth C. Obs 19.7.2011,	7,9,18,
149.	Variable Pitohui	<i>Pitohui kirhocephalus uropygialis</i>	Res bre	Rare- VC in forests UC-C.	1,7,8,9,
150.	Rusty Pitohui	<i>Pitohui f. ferrugineus</i>	Res bre	MC-C in all forests & regrowth. Obs 18 th & 19.7.2011,	7,9,18,
151.	Black Berrypecker	<i>Melanocharis n. nigra</i>	Res bre	P,	3,9,
152.	Olive-crowned Flowerpecker	<i>Dicaeum pectorale</i>	Res bre	MC-C but inconspicuous.	7,9,
153.	Black Sunbird	<i>Nectarinia aspasia cochrani</i>	Res bre	MC-C in forests and forest edges, Obs 18 th & 19.7.2011,	7,9,18,
154.	Yellow-bellied Sunbird	<i>Nectarinia jugularis</i>	Res bre	MC-C outside of forests, Obs 18 th & 19.7.2011,	7,18,
155.	Long-billed Honeyeater	<i>Melilestes m. megarhynchus</i>	Res bre	P, C but inconspicuous, Obs 18 th & 19.7.2011,	3,7,9,18,
156.	Yellow-bellied Longbill	<i>Toxorhamphus n. novaeguineae</i>	Res bre	P,	3,9,
157.	Green-backed Honeyeater	<i>Glycichaera fallax</i>	Res bre	P, mostly UC occasionally LC.	3,7,
158.	Olive Honeyeater	<i>Lichmera argentaris</i>	Res bre	Feeds on Coconut and pawpaw blossoms.	3,
159.	Red-throated Myzomela	<i>Myzomela e. eques</i>	Res bre	P, UC except locally around flowering trees, Obs 19.7.2011,	3,7,9,18,
160.	Dusky Myzomela	<i>Myzomela obscura</i>	Res bre	Obs 19.7.2011,	18,
161.	Mimic Meliphaga	<i>Meliphaga a. analoga</i>	Res bre	P, C in forest, regrowth & gardens. Obs 18.7.2011,	3,7,9,18,

162.	Puff-backed Meliphaga	<i>Meliphaga aruensis</i>	Res bre	Obs 19.7.2011,	18,
163.	Varied Honeyeater	<i>Lichenostomus versicolor sonoroides</i>	Res bre	C in coastal veg.	9,
164.	Spotted Honeyeater	<i>Xanthotis polygramma poikilosternos</i>	Res bre	P, Uncommon. Obs 19.7.2011,	3,7,9,18.
165.	Tawny-breasted Honeyeater	<i>Xanthotis flaviventer chrysotis</i>	Res bre	A. & ubiquitous. Obs 19.7.2011,	7,8,9,18,
166.	Streak-headed Honeyeater	<i>Pycnopygius stictocephalus</i>	Res bre	P, Uncommon & LC.	3,7,
167.	Helmeted Friarbird	<i>Philemon buceroides novaeguieae</i>	Res bre	Common.	7,9,
168.	Meyer's Friarbird	<i>Philemon meyeri</i>	Res	Obs 19.7.2011,	18,
169.	Brown-backed Honeyeater	<i>Ramsayornis modestus</i>	Res bre	P, MC-C.	3,7,
170.	Singing Starling	<i>Aplonis cantoroides</i>	Res bre	LC.	7,
171.	Moluccan Starling	<i>Aplornis m. mysolensis</i>	Res bre	P, A small island species of forest edge & scrub.	3,7,9,
172.	Golden Myna	<i>Mino a. anais</i>	Res bre	P, MC-C, C.	3,7,9,
173.	Yellow-faced Myna	<i>Mino d. dumontii</i>	Res bre	P, MC-C,	3,7,9,
174.	Brown Oriole	<i>Oriolus szalayi</i>	Res bre	C in mangroves. Heard 18.7.2011,	9,18,
175.	Green Oriole	<i>Oriolus flavocinctus</i>	Res bre?	Obs Mar 2006,	12,
176.	Spangled Drongo	<i>Dicrurus bracteatus carbonarius</i>	Res bre	CU in Rain Gallery, Monsoon & Teak forests & mangroves. Obs 18.7.2011,	7,9,18,
177.	White-breasted Woodswallow	<i>Artamus leucorhynchus</i>	Res bre	P,	7,
178.	Hooded Butcherbird	<i>Cracticus c. cassicus</i>	Res bre	Common. Obs 18 th & 19.7.2011,	9,18,
179.	Black Butcherbird	<i>Cracticus q. quoyi</i>	Res bre	P, UC-MC, UC,	3,7,9,
180.	Lowland Peltops	<i>Peltops blainvillii</i>	Res bre	P,	3,
181.	White-eared Catbird	<i>Ailuroedus buccoides oorti</i>	Res bre	P,	3,9,
182.	Glossy-mantled Manucode	<i>Manucodia atra</i>	Res bre	Obs 18.7.2011,	18,
183.	Twelve-wired Bird-of-Paradise	<i>Seleucidis melanoleuca</i>	Res bre	P, Common,	3,8,
184.	Red Bird-of-Paradise	<i>Paradisaea rubra</i>	Res	Heard 18.7.2011,	18,
185.	King Bird-of-Paradise	<i>Cicinnurus regius rex</i>	Res bre	P, Hybrid,	3,8,9,
186.	Magnificent Bird-of-Paradise	<i>Cicinnurus m. magnificus</i>	Res bre	P,	8,9,
187.	Grey Crow	<i>Corvus tristis</i>	Res bre	P, MC, Obs 19.7.2011,	3,9,18,
188.	Torresian Crow	<i>Corvus orru</i>	Res bre	P, Obs 19.7.2011,	7,18,

KEY

Ecological status

End = Endemic to Island unless otherwise stated, **Res bre** = Resident breeder, **Res** = resident ie breeding not proven or not likely. For seabirds it means they have or should be found in that area: note other refs. **Vag** = Vagrant, **Res/mig** = Part of population migratory, **Sum mig** = Summer migrant, **Win mig** = Winter migrant, **Spr/Aut mig** = Passage migrant in Spring and Autumn, **Intro** = Introduced.

Abundance

R = rare, **S** = scarce, **UC** = uncommon, **MC** = moderately common, **LC** = locally common, **C** = common, **VC** = very common, **A** = abundant, **P** = present.

Colour coding applies only to one species on a particular list. eg. An abundance comment in red for the Brown Booby refers to the Ref # in Red for that species only.

Alternate Island Names & alternate common Bird Names are recorded in two separate spreadsheet files.

REFERENCES

- Iredale, T. 1956. Birds of New Guinea. V. 2. Georgian House. Melbourne.
- Mayr, E. & Ripley. 1941. Birds collected during the Whitney South Sea Expedition *Am. Mus. Novit.* 1116.
- Beehler, B.M., T.K. Pratt & D.A. Zimmerman. 1986. **Birds of New Guinea**. Princeton University Press, Princeton.
- Mayr, E. & D. Amadon. 1941. Birds collected during the Whitney South Sea Expedition. XLVI. Geographical variation in *Demigretta sacra* (Gmelin). *Am. Mus. Novit.* 1144: 1-11.
- Amadon, D. 1942a. Birds Collected during the Whitney South Sea Expedition. 49. Notes on some non-passerine genera, 1. *American Museum Novitates* 1175.

6. Mayr, E. 1937. Birds collected during the Whitney South Sea Expedition. 35. Notes on New Guinea Birds. 2. *Amer. Mus. Novit.* 939: 1-14.
7. Coates, B.J. 1990. **The Birds of Papua New Guinea V. 2. Passerines.** Dove Pub. Aldersley, Qld.
8. Gould, J. & A. Rutgers. 1970. **Birds of New Guinea.** Methuen. London.
9. Rand, A.L., & E.T Gilliard. 1967. **Handbook of New Guinea Birds.** Weidenfeld & Nicolson, London.
10. Hoyo, J del., A. Elliott & J Sargatal. 1994. **Handbook of the Birds of the World** Vol. 2. Lynx Edicions / Birdlife International.
11. Iredale, T. 1956. **Birds of New Guinea. Vol. 1.** Georgian House, Melbourne.
12. Högberg, S. 2007. Personal Records.
13. Diamond, J. M. 1985. New distributional records and taxa from the outlying mountain ranges of New Guinea. *Emu* 85, 65-91.
14. Boles, W.E. 2007 *In* Hoyo, J. A. Elliott, & D Christie. 2007. Handbook of the Birds of the World Vol 12. Lynx Edicions. Barcelona.
15. Coates, B.J., G.C.L. Dutson, & C.E. Filardi. 2006. Monarch-Flycatchers. *In* Hoyo, J. A. Elliott, & D Christie. 2006. **Handbook of the Birds of the World Vol 11.** Lynx Edicions. Barcelona.
16. Rothschild, W. & Hartert, E. 1901a. Notes on Papuan Birds. *Novitates Zoologicae* **8**, 55-88.
17. Dutson, G. & Tindige, K. 2008. West Papua (and Halmahera) 3rd – 28th April 2006. *Muruk* 9(1), 1-33.
18. Beckers, G. Jacobs, M. Raymaekers, S., & Janssen K. 2011. www.travellingbirder.com/tripreports/tripreports_redirect.php?id=12485