

Amadee Island Bird Checklist

(20 km W Noumea) New Caledonia

Compiled by Michael K. Tarburton, Pacific Adventist University, PNG.

swiftlet@optusnet.com.au

#	Common Name	Scientific Name	Ecol. Status	Abundance	References
1.	Tahiti Petrel	<i>Pseudobulweria rostrata</i>	Res	2 obs in Bulari Passage 28.7.1962,	1,
2.	Sanderling	<i>Calidris a. alba</i>	Sum mig	1 obs 5 Dec 2004,	2,
3.	Little Tern	<i>Sternula albifrons</i>	Vag	29-42 obs Dec-Jan, (2003-04?)	2,

KEY

Ecological status

End = Endemic to Island unless otherwise stated, **Res bre** = Resident breeder, **Res** = resident ie breeding not proven or not likely. For seabirds it means they have or should be found in that area: note other refs. **Vag** = Vagrant, **Res/mig** = Part of population migratory, **Sum mig** = Summer migrant, **Win mig** = Winter migrant, **Spr/Aut mig** = Passage migrant in Spring and Autumn, **Intro** = Introduced.

Abundance

R = rare, **S** = scarce, **UC** = uncommon, **MC** = moderately common, **LC** = locally common, **C** = common, **VC** = very common, **A** = abundant, **P** = present.

Colour coding applies only to one species on a particular list. eg. An abundance comment in **red** for the Brown Booby refers to the Ref # in **Red** for that species only.

Alternate Island Names & alternate common Bird Names are recorded in two separate spreadsheet files.

REFERENCES

- Norris, A.Y. 1967. Seabird observations from the south-west Pacific in the southern winter. *Emu* 67(10), 33-55.
- Barre, N. Baudat-Francheschi, J. Spaggiari, J. Chartendault, V. Bachy, P. Desmooulins, F. Guhring, J. 2007. Second complement à la liste des oiseaux de Nouvelle-Calédonie. *Alauda* 75(2), 129-144.