

Megapode Island Bird Checklist (off Nth Ysabel) Solomon Islands

Compiled by Michael K. Tarburton, Pacific Adventist University, PNG.

swiftlet@optusnet.com.au

#	Common Name	Scientific Name	Ecol. Status	Abundance	References
1.	Willie Wagtail	<i>Rhipidura leucophrys melaleuca</i>	Res bre	Coll AMNH,	1,
2.	Scarlet-naped Myzomela	<i>Myzomela lafargei</i>	Res bre	Coll AMNH,	2,

KEY

Ecological status

End = Endemic to Island unless otherwise stated, **Res bre** = Resident breeder, **Res** = resident ie breeding not proven or not likely. For seabirds it means they have or should be found in that area: note other refs. **Vag** = Vagrant, **Res/mig** = Part of population migratory, **Sum mig** = Summer migrant, **Win mig** = Winter migrant, **Spr/Aut mig** = Passage migrant in Spring and Autumn, **Intro** = Introduced.

Abundance

R = rare, **S** = scarce, **UC** = uncommon, **MC** = moderately common, **LC** = locally common, **C** = common, **VC** = very common, **A** = abundant **P** = present.

Colour coding applies only to one species on a particular list. eg. An abundance comment in **red** for the Brown Booby refers to the Ref # in **Red** for that species only.

Alternate Island Names & alternate common Bird Names are recorded in two separate spreadsheet files.

REFERENCES

1. Mayr, E. 1931. Birds collected during the Whitney South Sea Expedition. 16. Notes on fantails of the genus *Rhipidura*. *Am. Mus. Novit.* 502: 1-21.
2. Mayr, E. 1932. Birds collected during the Whitney South Sea Expedition. 18. Notes on Meliphagidae from Polynesia and the Solomon Islands. *Am. Mus. Novit.* 516, 1-30.