

Simbo (Narovo, Eddystone) Island Bird Checklist

New Georgia Group, Solomon Islands

Compiled by Michael K. Tarburton, Pacific Adventist University, PNG.

swiftlet@optusnet.com.au

#	Common Name	Scientific Name	Ecol. Status	Abundance	References
1.	Eastern Reef Egret	<i>Egretta s. sacra</i>	Res bre	P,	2,3,
2.	Striated Heron	<i>Butorides (Ardeola) striata</i>	Res bre	P,	2,
3.	Rufous Night-Heron	<i>Nycticorax caledonicus mandibularis</i>	Res bre	P,	2,
4.	Pacific Baza	<i>Aviceda subcristata proxima</i>	Res bre	P,	2,
5.	Brahminy Kite	<i>Haliastur indus flavirostris</i>	Res bre	P,	2,
6.	Variable (Grey) Goshawk	<i>Accipiter novaehollandiae rubianae</i>	Res bre	P,	2,
7.	Pied Goshawk	<i>Accipiter albogularis gilvus</i>	End Sol/San Cruz	P,	2,
8.	Solomon Sea Eagle	<i>Haliaeetus sanfordi</i>	End Sol	1 spec AMNH, P,	1,2,3,
9.	Eastern Osprey	<i>Pandion cristatus melvillensis</i>	Res bre	P,	2,
10.	Pacific Black Duck	<i>Anas superciliosa pelewensis</i>	Res bre	P,	2,
11.	Melanesian Scrubfowl	<i>Megapodius eremita</i>	Res bre	MC Volcanic Incubation. 1 colony ≈ 200 nests, another on small islet where solar heating used, 3 rd on opposite side of Volcano??	2,3,4,
12.	Rufous-tailed Bush-hen	<i>Amaurornis moluccanus nigrifrons</i>	Res bre	P, Moderately Common	2,3,
13.	Purple Swampphen	<i>Porphyrio porphyrio samoensis</i>	Res bre	P,	2,
14.	Beach Thick-knee	<i>Esacus neglectus</i>	Res bre	P,	2,
15.	Pacific Golden Plover	<i>Pluvialis fulva</i>	Sum mig	Common, 2 spec Oct	3,5,
16.	Common Sandpiper	<i>Actitis hypoleucos</i>	Sum mig	P, F coll Oct 1927 AMNH,	3,6,
17.	Black-naped Tern	<i>Sterna sumatrana</i>	Res	Fairly Common	3,
18.	Superb Fruit-Dove	<i>Ptilinopus s. superbus</i>	Res bre	P,	2,
19.	Red-knobbed Imperial-Pigeon	<i>Ducula rubricera rufigula</i>	Res bre	P,	2,3,
20.	Island Imperial Pigeon	<i>Ducula p. pistrinaria</i>	Res bre	P,	2,
21.	Mackinlay's Cuckoo-Dove	<i>Macropygia mackinlayi arossi</i>	Res bre	P,	2,
22.	Stephan's Dove	<i>Chalcophaps stephani mortoni</i>	Res bre	P,	2,
23.	Nicobar Pigeon	<i>Caloenas n. nicobarica</i>	Res bre	P,	2,
24.	Cardinal Lory	<i>Chalcopsitta cardinalis</i>	Res bre	P,	2,3,
25.	Rainbow Lorikeet	<i>Trichoglossus haematodus massena</i>	Res bre	P,	2,3,
26.	Finsch's Pygmy Parrot	<i>Micropsitta finschii tristrami</i>	Res bre	P,	2,
27.	Eclectus Parrot	<i>Eclectus roratus solomonensis</i>	Res bre	P,	2,3,
28.	Eastern Koel	<i>Eudynamys orientalis alberti</i>	Win mig	P,	2,
29.	Buff-headed Coucal	<i>Centropus milo albidiventris</i>	Res bre	P,	2,3,
30.	Long-tailed Koel	<i>Eudynamys taitensis</i>	Win mig	P,	2,
31.	Uniform Swiftlet	<i>Aerodramus vanikorensis lugubris</i>	Res bre	P,	3,
32.	Moustached Tree-Swift	<i>Hemiprocne mystacea woodfordiana</i>	Res bre	P,	2,
33.	Collared Kingfisher	<i>Todirhamphus chloris alberti</i>	Res bre	P,	2,
34.	Beach Kingfisher	<i>Todirhamphus s. saurophaga</i>	Res bre	P,	2,3,

35.	Dollarbird	<i>Eurystomus orientalis solomonensis</i>	Res bre	P,	2,3,
36.	Pacific Swallow	<i>Hirundo tahitica subfusca</i>	Res bre	P, Rec. 1920's.	2,3,7,
37.	Willie Wagtail	<i>Rhipidura leucophrys melaleuca</i>	Res bre	P,	2,3,8,
38.	Rufous Fantail	<i>Rhipidura rufifrons granti</i>	Res bre	P, ? spec. AMNH	2,8,
39.	White-capped Monarch	<i>Monarcha richardsii</i>	End Nga Group	MC	2,3,
40.	Olive-backed Sunbird	<i>Nectarinia jugularis flavigaster</i>	Res bre	P,	2,3,
41.	Singing Starling	<i>Aplornis cantoroides</i>	Res bre	P,	2,3,
42.	Brown-winged Starling	<i>Aplornis g. grandis</i>	End Sol	P,	2,3,
43.	Metallic Starling	<i>Aplornis metallica nitida</i>	Res bre	P,	2,
44.	Yellow-faced Myna	<i>Mino dumontii krefftii</i>	Res bre	P,	2,

KEY

Ecological status

End = Endemic to Island unless otherwise stated, **Res bre** = Resident breeder, **Res** = resident ie breeding not proven or not likely. For seabirds it means they have or should be found in that area: note other refs. **Vag** = Vagrant, **Res/mig** = Part of population migratory, **Sum mig** = Summer migrant, **Win mig** = Winter migrant, **Spr/Aut mig** = Passage migrant in Spring and Autumn, **Intro** = Introduced.

Abundance

R = rare, **S** = scarce, **UC** = uncommon, **MC** = moderately common, **LC** = locally common, **C** = common, **VC** = very common, **A** = abundant, **P** = present.

Colour coding applies only to one species on a particular list. eg. An abundance comment in **red** for the Brown Booby refers to the Ref # in **Red** for that species only.

Alternate Island Names & alternate common Bird Names are recorded in two separate spreadsheet files.

REFERENCES

1. Dutson, G. 2001. New distributional ranges for Melanesian birds. *Emu* **101**: 237-248.
2. Mayr, E. & Diamond, J. 2001. **The Birds of Northern Melanesia**. Oxford University Press, Oxford.
3. Sibley, C.G. 1951. Notes on the birds of New Georgia, Central Solomon Islands. *Condor* **53**: 81-92.
4. Sibley, C.G. 1946. Breeding Habits of Megapodes on Simbo, Central Solomon Islands. *Condor* **48**: 92-93.
5. Stickney, E. H. 1943. Birds collected during the Whitney South Sea Expedition. 53. Northern Shore birds in the Pacific. *Am. Mus. Novit.* **1248**: 1-9.
6. Mayr, E. 1949. Notes on the birds of Northern Melanesia. 2. *Amer. Mus. Novitates* **1417**: 1-38.
7. Mayr, E. 1955. Notes on the birds of Northern Melanesia. 3. Passeres. *Amer. Mus. Novitates* **1707**: 1-46.
8. Mayr, E. 1931. Birds collected during the Whitney South Sea Expedition. 16. Notes on fantails of the genus Rhipidura. *Am. Mus. Novit.* **502**: 1-21.